LGS 3309.01 | Page 1/8



Dimensions for maintenance of nozzles and discs - Type 526

<u>C</u>	<u>ontent</u>		
1	Pur	pose	1
		pe	
		erences	
4	Con	ditional Agreement	2
		oduction	
6	Exe	cution	3
	6.1	Measures and facing profile	3
	6.2	Surface Quality	3
	6.3	Test	3
7	Refi	nishing of nozzle and disc type 526, metal sealing	

1 Purpose

This LGS gives information about the dimensions and the surface quality which must be observed during the refinishing work, it also provides the work instructions.

2 Scope

This LGS applies to the LESER sites Hamburg and Hohenwestedt as well as for valve repair shops repairing and / or maintaining LESER valves. This LGS is valid for:

- full nozzles
- semi nozzles
- discs without lifting gear
- discs with removable lifting gear

3 References

Not applicable

Disclosure cat.:	II JR	proofread by: released by:	CHK JR	publish date: replaces:	06/26/23 initial	effect. date: status:	06/23 Published
resp. depart.:	TD	date of release:	06/26/23	revision No.:	1	otatao.	1 abilotica
doc. type:	LGS	change rep. No.:	NA	retention period:	10y.	prot. class:	protected

LGS 3309.01 | Page 2/8



4 Conditional Agreement

The further mentioned rules for the refinishing of nozzles and discs have been issued and explained in all conscience and describe the final design of the components.

LESER reserves the right to make necessary modifications at the components without determining these changes in this standard directly. So, if there are any doubts on user side when applying these guidelines, LESER must be contacted before performance of rework to clarify the actual situation.

When applying these guidelines, it must be considered generally that they describe the refinishing at components which influence the function and capacity of the safety valves. Even marginal deviations to this guideline can affect a malfunction or constricted capacity of the safety valve and therewith an inadmissible pressure increase can arise during application/operation. This could possibly have serious consequences for humans and environment. Therefore, it must be proceeded carefully when applying these rules.

LESER assumes no liability for safety devices which have been repaired or reworked in accordance with this LGS. The repair shop is solely responsible for the function and capacity of the re-introduced safety device.

The user of this LGS should be clear on the fact that the repair of a safety device against inadmissible overpressure is subjected to international laws. The violation of valid rules will be traced and avenged acc. to relevant legislations.

In case of any doubts during application of this LGS, LESER must be consulted before starting repair or rework of LESER safety devices.

5 Introduction

If the sealing surfaces of nozzles and discs have been damaged, the original sealing quality can be restored by refinishing of the sealing surfaces. The minimum and maximum dimensions given in the tables below must be ensured.

Other additional rework like Hardfacing (build-up welding) or similar activities at the surfaces are not allowed.

Disclosure cat.: author:	II JR	proofread by: released by:	CHK JR	publish date: replaces:	06/26/23 initial	effect. date: status:	06/23 Published
resp. depart.:	TD	date of release:	06/26/23	revision No.:	1	Status.	i ublistieu
doc. type:	LGS	change rep. No.:	NA	retention period:	10y.	prot. class:	protected

LGS 3309.01 | Page 3/8



6 Execution

The refinishing by smooth turning and grinding with final lapping should be done on the nozzle and if necessary, also on the disc with the least possible material removal. Please refer to the limiting values in the following tables.

6.1 Measures and facing profile

Tables 1, together with the corresponding illustrations, contain the linear and square dimensions which shall be observed. After processing of the nozzle surface, it is also important that the profile of the sealing area is restored moderately using inner and outer chamfers. If necessary, the contact surface between the spindle guide and the body must be refinished coplanar and concentric to the sealing area.

6.2 Surface Quality

A surface quality to a mean roughness depth of R_z 0,25 (DIN EN ISO 4287) or AA 1 (ASME B46.1) must be achieved on both sealing surfaces through lapping.

6.3 Test

In a final test on the mounted valve, it must be guaranteed that:

- The semi rings on the spindle must be off the guide when the valve is closed.
- The lower spring plate may not touch the guide when the spring is assembled.
- In lift restricted valves, the lift restriction must be checked and if necessary, the lift restriction bushing extended.

Disclosure cat.:	II	proofread by:	CHK	publish date:	06/26/23	effect. date:	06/23
author:	JR	released by:	JR	replaces:	initial	status:	Published
resp. depart.: doc. type:	TD LGS	date of release: change rep. No.:	06/26/23 NA	revision No.: retention period:	1 10y.	prot. class:	protected



7 Refinishing of nozzle and disc type 526, metal sealing

Work is to be carried out according to the illustrations 1.1, 1.2 and according to Table 1.




Illustration 1.1




Illustration 1.2

Changes in dimension may only be such as not to reduce dimensions b and/or L below the lowest allowable tolerance (see Table 1). The dimensions A and B on the sealing area of the nozzle shall be restored with inner and outer chamfering.

These critical dimensions apply to Type 526 valves and supersede any dimensions provided in previous versions or revisions.

Disclosure cat.:	II JR	proofread by: released by:	CHK JR	publish date: replaces:	06/26/23 initial	effect. date: status:	06/23 Published
resp. depart.:	TD	date of release:	06/26/23	revision No.:	1	otatao.	1 abilotica
doc. type:	LGS	change rep. No.:	NA	retention period:	10y.	prot. class:	protected

LGS 3309.01 | Page 5/8



Table 1: nozzles and discs type 526 in mm

		Pressure					Noz	zle						Disc
Orifice	Size in	range Inlet / Outlet			Diameter				Angle)	Thickness b in mm			
Or	NPS	in Class	A Ø i lower limit	n mm upper limit	B Ø i lower limit	n mm upper limit	D Ø in mm	L in mm	L ₁ in mm lower limit	L ₂ in mm lower limit	W ₁ in °	W ₂ in °	W ₃ in °	lower limit
	1 x 2	300 x 150	19.6	19.8	17.8	18.0	17.4	87.1	9.8	1	45.0	60.0	45.0	10.4
D/E	1 ½ x 2	1500 x 300	18.7	18.9	16.4	16.6	16.1	87.1	4.8	2.8	45.0	60.0	60.0	10.4
	1 ½ x 3	2500 x 300	18.6	18.8	16.4	16.6	16.1	122	4.8	2.8	45.0	60.0	60.0	10.4
F	1 ½ x 2	900 x 300	22.5	22.7	20.3	20.5	19.5	106.1	4.8	2.8	45.0	60.0	60.0	10.3
-	1 ½ x 3	2500 x 300	20.5	20.7	18.9	19.1	19.5	122.4	4.8	2.8	45.0	60.0	60.0	10.3
G	1½ x 3	900 x 300	27.5	27.7	24.8	25.0	23.5	106.1	4.8	2.8	45.0	60.0	60.0	10.3
G	2 x 3	1500 x 300	27.5	27.7	24.8	25.0	23.5	127.9	4.8	2.8	45.0	60.0	60.0	10.3
	1½ x 3	150 x 150	36.0	36.2	32.8	33.0	30.5	106.1	4.8	2.8	45.0	60.0	45.0	10.3
н	2 x 3	600 x 150	35.2	35.4	32.8	33.0	29.4	102.0	4.8	2.8	30.0	60.0	30.0	10.3
	2 x 3	1500 x 300	35.2	35.4	32.8	33.0	29.4	126.3	4.8	2.8	30.0	60.0	30.0	10.3
	2 x 3	150 x 150	43.5	43.7	40.8	41.0	39.0	102.0	5.8	5.8	30.0	60.0	30.0	12.3
J	3 x 4	900 x 300	43.5	43.7	40.8	41.0	37.0	156.2	5.7	5.7	30.0	60.0	30.0	12.3
	3 x 4	150 x 150	50.5	50.8	46.8	47.0	45.0	127.7	5.8	5.7	30.0	60.0	30.0	12.3
K	3 x 6	600 x 150	50.5	50.8	46.8	47.0	45.0	156.2	5.7	5.7	30.0	60.0	30.0	12.3
	3 x 6	1500 x 300	50.5	50.8	46.8	47.0	45.0	168.7	5.7	6.7	30.0	60.0	45.0	12.3

proofread by: Disclosure cat.: CHK publish date: 06/26/23 effect. date: 06/23 Ш author: JR released by: JR replaces: initial Published status: date of release: resp. depart.: TD 06/26/23 revision No.: doc. type: LGS change rep. No.: NA retention period: 10y. prot. class: protected

LGS 3309.01 | Page 6/8



		Pressure					Noz	zle						Disc
Orifice	Size in	range Inlet / Outlet			Diameter						Angle	!	Thickness b in mm	
Ori	NPS	in Class	A Ø i lower limit	n mm upper limit	B Ø i lower limit	n mm upper limit	D Ø in mm	L in mm	L ₁ in mm lower limit	L ₂ in mm lower limit	W ₁ in °	W ₂ in °	W ₃	lower limit
	3 x 4	150 x 150	61.5	61.8	57.8	58.0	56.0	127.7	5.8	5.8	30.0	60.0	30.0	14.8
١. ١	4 x 6	600 x 150	61.5	61.8	57.8	58.0	56.0	149.7	5.8	5.8	30.0	60.0	30.0	14.8
-	4 x 6	600 x 150	61.5	61.8	57.7	58.0	56.0	149.7	4.8	5.8	30.0	60.0	30.0	14.8
	4 x 6	1500 x 150	61.5	61.8	57.7	58.0	56.0	168.7	5.7	5.7	30.0	60.0	30.0	14.8
М	4 x 6	600 x 150	68.0	68.3	64.2	64.5	61.5	149.6	4.7	5.7	30.0	60.0	30.0	14.8
IVI	4 x 6	900 x 150	69.0	69.3	64.2	64.5	61.5	168.7	4.7	6.2	30.0	60.0	30.0	14.8
N	4 x 6	900 x 150	74.0	74.3	69.7	70.0	67.0	168.7	3.7	5.7	30.0	60.0	30.0	14.8
Р	4 x 6	150 x 150	89.0	89.3	84.7	85.0	82.0	152.8	4.7	5.7	30.0	45.0	45.0	14.8
-	4 x 6	900 x 150	89.0	89.3	84.7	85.0	82.0	197.2	4.7	5.7	30.0	45.0	45.0	14.8
Q	6 x 8	300 x 150	114.5	114.8	110.7	111.0	108.5	209.2	5.7	5.7	45.0	45.0	45.0	16.8
R	6 x 8	300 x 150	137.5	137.8	132.7	133.0	131.0	209.2	24.7	5.7	45.0	60.0	45v	16.8
	6 x 10	600 x 150	137.5	137.8	132.7	133.0	131.0	189.0	24.7	5.7	45.0	60.0	45.0	16.8
Т	8 x 10	300 x 150	171.5	171.9	166.6	167.0	164.0	225.4	5.7	5.7	30.0	60.0	45.0	16.7

proofread by: CHK 06/26/23 06/23 Disclosure cat.: publish date: effect. date: Ш author: JR released by: JR replaces: initial Published status: date of release: 06/26/23 revision No.: resp. depart.: TD 1 LGS doc. type: change rep. No.: NA retention period: 10y. prot. class: protected

LGS 3309.01 | Page 7/8



Table 2: nozzles and discs type 526 in inch

		Pressure range						Noz	zle					Disc
ice	Size in	Inlet / Outlet		ı	Diamete	r			Length		Angle		Thickness b in inch	
Orifice	NPS	in Class	ΑØi	n inch	ВØі	n inch	DØ in	L in inch	L ₁ in inch	L ₂ in inch	W ₁	W ₂	Wз	
		Glass	lower limit	upper limit	lower limit	upper limit	inch	lower limit	lower limit	lower limit	in °	in ^o	in ^o	lower limit
	1"x2"	300 x 150	0.772	0.780	0.780	0.700	0.685	3.429	0.386	-	45.0	60.0	45.0	0.409
D/E	1 ½"x2"	1500 x 300	0.736	0.744	0.646	0.654	0.634	3.429	0.189	0.110	45.0	60.0	60.0	0.409
	1 ½"x3"	2500 x 300	0.732	0.740	0.646	0.654	0.634	4.803	0.189	0.110	45.0	60.0	60.0	0.409
F	1 ½"x2"	900 x 300	0.886	0.894	0.799	0.807	0.768	4.177	0.189	0.110	45.0	60.0	60.0	0.406
•	1 ½"x3"	2500 x 300	0.807	0.815	0.744	0.752	0.768	4.819	0.189	0.110	45.0	60.0	60.0	0.406
G	1½"x3"	900 x 300	1.083	1.091	0.976	0.984	0.925	4.177	0.189	0.110	45.0	60.0	60.0	0.406
	2"x3"	1500 x 300	1.083	1.091	0.976	0.984	0.925	5.035	0.189	0.110	45.0	60.0	60.0	0.406
	1½"x3"	150 x 150	1.417	1.425	1.291	1.299	1.201	4.177	0.189	0.110	45.0	60.0	45.0	0.406
Н	2"x3"	600 x 150	1.386	1.394	1.291	1.299	1.157	4.016	0.189	0.110	30.0	60.0	30.0	0.406
	2"x3"	1500 x 300	1.386	1.394	1.291	1.299	1.157	4.972	0.189	0.110	30.0	60.0	30.0	0.406
J	2"x3"	150 x 150	1.713	1.720	1.606	1.614	1.535	4.016	0.228	0.228	30.0	60.0	30.0	0.484
	3"x4"	900 x 300	1.713	1.720	1.606	1.614	1.457	6.150	0.224	0.224	30.0	60.0	30.0	0.484
	3"x4"	150 x 150	1.988	2.000	1.843	1.850	1.772	5.028	0.228	0.224	30.0	60.0	30.0	0.484
K	3"x6"	600 x 150	1.988	2.000	1.843	1.850	1.772	6.150	0.224	0.224	30.0	60.0	30.0	0.484
	3"x6"	1500 x 300	1.988	2.000	1.843	1.850	1.772	6.642	0.224	0.264	30.0	60.0	45.0	0.484

proofread by: 06/23 Disclosure cat.: CHK publish date: 06/26/23 effect. date: Ш author: JR released by: JR replaces: initial Published status: date of release: resp. depart.: TD 06/26/23 revision No.:

doc. type: LGS change rep. No.: NA retention period: 10y. prot. class: protected

LGS 3309.01 | Page 8/8



		Pressure range						Noz	zle					Disc
ice	Size in	Inlet / Outlet			Diamete	r			Length			Thickness b in inch		
Orifice	NPS	in Class	A Ø in inch		ВØі	n inch	DØ in	L in inch	· ·	L ₂ in inch	W ₁	W ₂	W ₃	
			lower limit	upper limit	lower limit	upper limit	inch	lower limit	lower limit	lower limit	in ^o	in ^o	in ^o	lower limit
	3"x4"	150 x 150	2.421	2.433	2.276	2.283	2.205	5.028	0.228	0.228	30.0	60.0	30.0	0.583
١.	4"x6"	600 x 150	2.421	2.433	2.276	2.283	2.205	5.894	0.228	0.228	30.0	60.0	30.0	0.583
-	4"x6"	600 x 150	2.421	2.433	2.272	2.283	2.205	5.894	0.189	0.228	30.0	60.0	30.0	0.583
	4"x6"	1500 x 150	2.421	2.433	2.272	2.283	2.205	6.642	0.224	0.224	30.0	60.0	30.0	0.583
м	4"x6"	600 x 150	2.677	2.689	2.528	2.539	2.421	5.890	0.185	0.224	30.0	60.0	30.0	0.583
I	4"x6"	900 x 150	2.717	2.728	2.528	2.539	2.421	6.642	0.185	0.244	30.0	60.0	30.0	0.583
N	4"x6"	900 x 150	2.913	2.925	2.744	2.756	2.638	6.642	0.146	0.224	30.0	60.0	30.0	0.583
Р	4"x6"	150 x 150	3.504	3.516	3.335	3.346	3.228	6.016	0.185	0.224	30.0	45.0	45.0	0.583
-	4"x6"	900 x 150	3.504	3.516	3.335	3.346	3.228	7.764	0.185	0.224	30.0	45.0	45.0	0.583
Q	6"x8"	300 x 150	4.508	4.520	4.358	4.370	4.272	8.236	0.224	0.224	45.0	45.0	45.0	0.661
R	6"x8"	300 x 150	5.413	5.425	5.224	5.236	5.157	8.236	0.972	0.224	45.0	60.0	45.0	0.661
K	6"x10"	600 x 150	5.413	5.425	5.224	5.236	5.157	7.441	0.972	0.224	45.0	60.0	45.0	0.661
Т	8"x10"	300 x 150	6.752	6.768	6.559	6.575	6.457	8.874	0.224	0.224	30.0	60.0	45.0	0.657

proofread by: CHK 06/26/23 06/23 Disclosure cat.: publish date: effect. date: Ш author: JR released by: JR replaces: initial Published status: date of release: 06/26/23 revision No.: resp. depart.: TD 1 LGS doc. type: change rep. No.: NA retention period: 10y. prot. class: protected